

1/12

## **CELSIUS® XTRA**

Version 2.0 / USA 102000037938

# Revision Date: 05/20/2021 Print Date: 05/20/2021

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Trade name CELSIUS® XTRA

Product code (UVP) 86714523

**SDS Number** 102000037938

EPA Registration No. 432-1614

Relevant identified uses of the substance or mixture and uses advised against

**Use** Herbicide

**Restrictions on use** See product label for restrictions.

Information on supplier

**Supplier** Bayer Environmental Science

A division of Bayer CropScience LP 5000 Centregreen Way, Suite 400

Cary, NC 27513

USA

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-800-331-2867

## **SECTION 2: HAZARDS IDENTIFICATION**

Classification in accordance with regulation HCS 29CFR §1910.1200

Acute toxicity(Inhalation): Category 4

Eye irritation: Category 2B

Labelling in accordance with regulation HCS 29CFR §1910.1200



**Signal word**: Warning **Hazard statements** Harmful if inhaled.



## **CELSIUS® XTRA**

 Version 2.0 / USA
 Revision Date: 05/20/2021

 102000037938
 Print Date: 05/20/2021

Causes eye irritation.

#### **Precautionary statements**

Avoid breathing mist/ vapours/ spray.

Use only outdoors or in a well-ventilated area.

Wash thoroughly after handling.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/ attention.

## **Hazards Not Otherwise Classified (HNOC)**

No physical hazards not otherwise classified.

No health hazards not otherwise classified.

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

	Hazardous Component Name	CAS-No.	Concentration % by weight
	Halosulfuron-Methyl	100784-20-1	10.0
	lodosulfuron-methyl-sodium	144550-36-7	0.93
Ш	Thiencarbazone-methyl	317815-83-1	4.29
	Lignosulfonic acid, sodium salt, sulfomethylated	68512-34-5	20.0

#### **SECTION 4: FIRST AID MEASURES**

#### Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

**Inhalation** Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

**Eye contact** Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

**Ingestion** Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed



## **CELSIUS® XTRA**

Version 2.0 / USA Revision Date: 05/20/2021 102000037938 Print Date: 05/20/2021

To date no symptoms are known. **Symptoms** 

Indication of any immediate medical attention and special treatment needed

**Treatment** Appropriate supportive and symptomatic treatment as indicated by the

Dangerous gases are evolved in the event of a fire.

patient's condition is recommended.

## **SECTION 5: FIREFIGHTING MEASURES**

**Extinguishing media** 

Suitable Water spray, Carbon dioxide (CO2), Foam, Dry chemical

Unsuitable High volume water jet

Special hazards arising

from the substance or

mixture

Advice for firefighters

Special protective

In the event of fire and/or explosion do not breathe fumes. Firefighters equipment for firefighters should wear NIOSH approved self-contained breathing apparatus and

full protective clothing.

**Further information** Fight fire from upwind position. Keep out of smoke. Cool closed

> containers exposed to fire with water spray. Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains

or water courses.

Flash point No data available **Auto-ignition temperature** No data available Lower explosion limit No data available **Upper explosion limit** No data available **Explosivity** Not explosive

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

**Precautions** Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Avoid dust formation. Sweep up or vacuum up spillage and collect in

suitable container for disposal. Clean contaminated floors and objects

thoroughly, observing environmental regulations.



# **CELSIUS® XTRA**

Version 2.0 / USA 102000037938

Revision Date: 05/20/2021 Print Date: 05/20/2021

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal. Do

not allow product to contact non-target plants.

**Reference to other sections** Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

#### **SECTION 7: HANDLING AND STORAGE**

## Precautions for safe handling

**Advice on safe handling**Use only in area provided with appropriate exhaust ventilation. Handle

and open container in a manner as to prevent spillage.

**Hygiene measures** Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean

clothing.

#### Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and

feed. Store in original container and out of the reach of children,

preferably in a locked storage area.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
lodosulfuron-methyl-sodium	144550-36-7	1 mg/m3 (TWA)		OES BCS*
Thiencarbazone-methyl	317815-83-1	10 mg/m3 (TWA)		OES BCS*

<sup>\*</sup>OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

## **Exposure controls**

#### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection** When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.



## **CELSIUS® XTRA**

 Version 2.0 / USA
 Revision Date: 05/20/2021

 102000037938
 Print Date: 05/20/2021

Hand protection Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile

rubber or Viton)

**Eye protection** Tightly fitting safety goggles

**Skin and body protection** Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Form small rod
Colour brown
Odour musty

Odour Threshold No data available

**pH** 5.5 - 6.5 (1 %) (23 °C) (deionized water)

Melting point/rangeNo data availableBoiling PointNo data availableFlash pointNo data availableFlammabilityNo data availableAuto-ignition temperatureNo data availableThermal decompositionNo data available

Minimum ignition energyNo data availableSelf-accelaratingNo data available

decomposition temperature

(SADT)

Upper explosion limitNo data availableLower explosion limitNo data availableVapour pressureNo data availableEvaporation rateNo data availableRelative vapour densityNo data available

Relative density

No data available

No data available

No data available

No data available

Bulk density 0.4 - 0.6 g/ml (loose)

Water solubility No data available



# **CELSIUS® XTRA**

 Version 2.0 / USA
 Revision Date: 05/20/2021

 102000037938
 Print Date: 05/20/2021

Partition coefficient: n-

octanol/water

Halosulfuron-methyl: log Pow: -0.02(pH 7)

Iodosulfuron-methyl-sodium: log Pow: -0.7 Thiencarbazone-methyl: log Pow: -0.13

Viscosity, dynamicNo data availableViscosity, kinematicNo data available

Oxidizing properties No oxidizing properties

**Explosivity** Not explosive

#### **SECTION 10: STABILITY AND REACTIVITY**

**Reactivity** Stable under normal conditions.

**Chemical stability** Stable under recommended storage conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

**Conditions to avoid** Extremes of temperature and direct sunlight.

**Incompatible materials**No incompatible materials known.

**Hazardous decomposition** 

products

No decomposition products expected under normal conditions of use.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

**Exposure routes** Eye contact, Skin contact, Ingestion, Inhalation

**Immediate Effects** 

Eye Causes eye irritation.

Skin May cause slight irritation.

#### Information on toxicological effects

Acute oral toxicity LD50 (female Rat) > 2,000 mg/kg

Acute inhalation toxicity LC50 (male/female combined Rat) > 2.17 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

highest concentration tested

Acute dermal toxicity

Dermal toxicity was assessed based on the result of the oral toxicity

study.

Dermal toxicity study has been waived by competent regulatory



## **CELSIUS® XTRA**

Version 2.0 / USA 102000037938

Revision Date: 05/20/2021 Print Date: 05/20/2021

authority.

Skin corrosion/irritation Slight irritant effect - does not require labelling. (Rabbit)

Serious eye damage/eye

irritation

Mild eye irritation. (Rabbit)

**Respiratory or skin** Skin: Non-sensitizing. (Mouse)

sensitisation OECD Test Guideline 429, local lymph node assay (LLNA)

## Assessment STOT Specific target organ toxicity - single exposure

lodosulfuron-methyl-sodium: Based on available data, the classification criteria are not met. Thiencarbazone-methyl: Based on available data, the classification criteria are not met.

## Assessment STOT Specific target organ toxicity - repeated exposure

Halosulfuron-methyl did not cause specific target organ toxicity in experimental animal studies. lodosulfuron-methyl-sodium did not cause specific target organ toxicity in experimental animal studies. Thiencarbazone-methyl did not cause specific target organ toxicity in experimental animal studies.

## **Assessment mutagenicity**

Halosulfuron-methyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Iodosulfuron-methyl-sodium was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Thiencarbazone-methyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

#### Assessment carcinogenicity

Halosulfuron-methyl was not carcinogenic in lifetime feeding studies in rats and mice. lodosulfuron-methyl-sodium was not carcinogenic in lifetime feeding studies in rats and mice. Thiencarbazone-methyl was not carcinogenic in a lifetime feeding study in rats. Thiencarbazone-methyl caused at high dose levels an increased incidence of tumours in mice in the following organ(s): urinary bladder. The tumours seen with Thiencarbazone-methyl were caused through the chronic irritation due to the presence of bladder stones.

Δ		വ	ı	Ŀ	ı
<b>~</b> '	•	J		•	•

None.

NTP

None.

**IARC** 

None.

**OSHA** 

None.

#### Assessment toxicity to reproduction

Halosulfuron-methyl did not cause reproductive toxicity in a two-generation study in rats. Iodosulfuron-methyl-sodium did not cause reproductive toxicity in a two-generation study in rats. Thiencarbazone-methyl did not cause reproductive toxicity in a two-generation study in rats.

## Assessment developmental toxicity

Halosulfuron-methyl caused developmental toxicity only at dose levels toxic to the dams. Halosulfuron-methyl caused an increased incidence of non-specific malformations.



## **CELSIUS® XTRA**

Version 2.0 / USA 102000037938

Revision Date: 05/20/2021 Print Date: 05/20/2021

lodosulfuron-methyl-sodium did not cause developmental toxicity in rats and rabbits. Thiencarbazone-methyl did not cause developmental toxicity in rats and rabbits.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### **Further information**

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

#### **SECTION 12: ECOLOGICAL INFORMATION**

**Toxicity to fish** LC50 (Oncorhynchus mykiss (rainbow trout)) > 100 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient iodosulfuron-

methyl-sodium.

LC50 (Oncorhynchus mykiss (rainbow trout)) > 104 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient thiencarbazone-

methyl.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) > 100 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient iodosulfuron-

methyl-sodium.

EC50 (Daphnia magna (Water flea)) > 98.6 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient thiencarbazone-

methyl.

Toxicity to aquatic plants

IC50 (Raphidocelis subcapitata (freshwater green alga)) 0.152 mg/l

Growth rate; Exposure time: 96 h

The value mentioned relates to the active ingredient iodosulfuron-

methyl-sodium.

EC50 (Lemna gibba (gibbous duckweed)) 0.00081 mg/l

Exposure time: 14 d

The value mentioned relates to the active ingredient iodosulfuron-

methyl-sodium.

NOEC (Lemna gibba (gibbous duckweed)) 0.0004 mg/l

Exposure time: 14 d

The value mentioned relates to the active ingredient iodosulfuron-

methyl-sodium.

IC50 (Raphidocelis subcapitata (freshwater green alga)) 1.017 mg/l

Growth rate; Exposure time: 72 h



Revision Date: 05/20/2021

## **CELSIUS® XTRA**

Version 2.0 / USA 102000037938

Print Date: 05/20/2021

The value mentioned relates to the active ingredient thiencarbazone-

methyl.

IC50 (Lemna gibba (gibbous duckweed)) 0.00131 mg/l

Growth rate; Exposure time: 7 d

The value mentioned relates to the active ingredient thiencarbazone-

methyl.

**Toxicity to bacteria** EC50 (Pseudomonas putida) > 1,000 mg/l

Exposure time: 3 h

The value mentioned relates to the active ingredient iodosulfuron-

methyl-sodium.

Biodegradability Halosulfuron-methyl:

Not rapidly biodegradable lodosulfuron-methyl-sodium: Not rapidly biodegradable Thiencarbazone-methyl: Not rapidly biodegradable

**Koc** Halosulfuron-methyl: Koc: 113

Iodosulfuron-methyl-sodium: Koc: 45 Thiencarbazone-methyl: Koc: 100

Bioaccumulation Halosulfuron-methyl:

Does not bioaccumulate. Iodosulfuron-methyl-sodium: Does not bioaccumulate. Thiencarbazone-methyl: Does not bioaccumulate.

Mobility in soil Halosulfuron-methyl: Moderately mobile in soils

lodosulfuron-methyl-sodium: Mobile in soils

Thiencarbazone-methyl: Moderately mobile in soils

Results of PBT and vPvB assessment

PBT and vPvB assessment Halosulfuron-methyl: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

lodosulfuron-methyl-sodium: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Thiencarbazone-methyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

**Environmental precautions** Do not allow to get into surface water, drains and ground water.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Apply this product as specified on the label.



10/12

## **CELSIUS® XTRA**

Version 2.0 / USA Revision Date: 05/20/2021 102000037938 Print Date: 05/20/2021

## **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

**Product** Dispose in accordance with all local, state/provincial and federal

regulations.

Contaminated packaging Consult state and local regulations regarding the proper disposal of

container.

Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.

## **SECTION 14: TRANSPORT INFORMATION**

**49CFR** Not dangerous goods / not hazardous material

**IMDG** 

UN number 3077
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(IODOSULFURON-METHYL-SODIUM, THIENCARBAZONE-

METHYL MIXTURE)

IATA

UN number 3077
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(IODOSULFURON-METHYL-SODIUM, THIENCARBAZONE-

METHYL MIXTURE )

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: COMPOUNDS, TREE OR WEED KILLING, N.O.I. other than

poison, HAVING A DENSITY OF 20 LBS OR GREATER PER

CUBIC FOOT



## **CELSIUS® XTRA**

Version 2.0 / USA Revision Date: 05/20/2021 102000037938 Print Date: 05/20/2021

## **SECTION 15: REGULATORY INFORMATION**

EPA Registration No. 432-1614

**US Federal Regulations** 

**TSCA list** 

Kaolin 1332-58-7 Lignosulfonic acid, sodium salt, 68512-34-5

sulfomethylated

Citric acid 77-92-9
Polyvinylpyrrolidone 9003-39-8
Sodium butylnaphthalenesulphonate 25638-17-9

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No export notification needs to be made.

SARA Title III - Section 302 - Notification and Information

Not applicable.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

## **US States Regulatory Reporting**

CA Prop65

WARNING: This product contains a chemical known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Crystalline quartz (respirable) 14808-60-7

This product does not contain any substances known to the State of California to cause reproductive harm.

**US State Right-To-Know Ingredients** 

Kaolin 1332-58-7 MN, RI Synthetic amorphous silica 112926-00-8 CA, CT, MN

Polyvinylpyrrolidone 9003-39-8 CA

## **Environmental**

#### CERCLA

None.

Clean Water Section 307(a)(1)

None

Safe Drinking Water Act Maximum Contaminant Levels

None.

## **EPA/FIFRA Information:**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:



## **CELSIUS® XTRA**

Version 2.0 / USA 102000037938

Revision Date: 05/20/2021 Print Date: 05/20/2021

Signal word: Caution!

**Hazard statements:** Harmful if swallowed.

Harmful if absorbed through skin. Causes moderate eye irritation.

#### **SECTION 16: OTHER INFORMATION**

## Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49 ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens
OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

## NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Instability - 0 Others - none

#### HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

**Reason for Revision:** The following sections have been revised: Section 3: Composition / Information on Ingredients. Section 15: Regulatory information. Reviewed and updated for general editorial purposes.

**Revision Date: 05/20/2021** 

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.